

# Chemical Photocatalysis

Bearbeitet von  
Burkhard König

1. Auflage 2013. Buch. XIV, 400 S. Hardcover

ISBN 978 3 11 026916 1

Format (B x L): 17 x 24 cm

Gewicht: 883 g

[Weitere Fachgebiete > Chemie, Biowissenschaften, Agrarwissenschaften > Physikalische Chemie > Nuklearchemie, Photochemie, Strahlenchemie](#)

schnell und portofrei erhältlich bei

The logo for beck-shop.de features the text 'beck-shop.de' in a bold, red, sans-serif font. Above the 'i' in 'shop' are three red dots of varying sizes, arranged in a slight arc. Below the main text, the words 'DIE FACHBUCHHANDLUNG' are written in a smaller, red, all-caps, sans-serif font.

**beck-shop.de**  
DIE FACHBUCHHANDLUNG

Die Online-Fachbuchhandlung [beck-shop.de](http://beck-shop.de) ist spezialisiert auf Fachbücher, insbesondere Recht, Steuern und Wirtschaft. Im Sortiment finden Sie alle Medien (Bücher, Zeitschriften, CDs, eBooks, etc.) aller Verlage. Ergänzt wird das Programm durch Services wie Neuerscheinungsdienst oder Zusammenstellungen von Büchern zu Sonderpreisen. Der Shop führt mehr als 8 Millionen Produkte.

# Contents

## List of contributing authors — V

- 1 Introduction — 1**
- 2 Early pioneers of organic photochemistry — 3**
  - 2.1 References — 15
- 3 Photophysics of Photocatalysts — 19**
  - 3.1 Setting the Frame — 21
  - 3.2 The Experimentalist's Perspective — 24
  - 3.3 The Theoreticians' Perspective: A Closer Look — 31
    - 3.3.1 Transition probabilities — 32
    - 3.3.2 Orbitals — 36
  - 3.4 References — 43
- 4 Flavin photocatalysis — 45**
  - 4.1 Introduction — 45
    - 4.1.1 General properties — 46
  - 4.2 Early examples of flavin photocatalysis — 48
  - 4.3 Flavin photocatalysis in synthesis application — 51
  - 4.4 Flavin-related compounds in photocatalysis — 58
  - 4.5 Photooxidations via singlet oxygen mechanism — 59
  - 4.6 Conclusion — 61
  - 4.7 References — 61
- 5 Templated Enantioselective Photocatalysis — 67**
  - 5.1 Introduction — 67
  - 5.2 Early studies. Paternò-Büchi cycloadditions of a chiral aromatic aldehyde and cyclic enamines — 69
  - 5.3 Enantioselective Norrish–Yang cyclization reaction of prochiral imidazolidinones — 69
  - 5.4 Enantioselective photochemical [4+4]-cycloadditions and electrocyclic [4 $\pi$ ]-ring closure of 2-pyridones — 71
  - 5.5 Enantioselective [6 $\pi$ ]-photocyclization of acrylanilides — 72
  - 5.6 Enantioselective Diels–Alder reaction of a photochemically generated *ortho*-quinodimethane — 73
  - 5.7 Formal [3+2]-photocycloadditions of 2-substituted naphthoquinones — 74
  - 5.8 Intramolecular [2+2]-photocycloadditions of substituted 5,6-dihydro-1H-pyridin-2-ones — 74

5.9	Enantioselective radical cyclizations — <b>75</b>
5.9.1	Reductive radical cyclization reactions of 3-( $\omega$ -iodoalkylidene)-piperidin-2-ones — <b>75</b>
5.9.2	Reductive radical cyclization of 3-(3-iodopropoxy)propenoic acid derivatives — <b>76</b>
5.9.3	Radical cyclization reactions of 4-substituted quinolones — <b>77</b>
5.10	[2+2]-Photocycloaddition reactions of substituted isoquinolones — <b>77</b>
5.11	[2+2]-Photocycloaddition reactions of substituted quinolones — <b>79</b>
5.11.1	Intermolecular [2+2]-photocycloaddition reactions of quinolones — <b>79</b>
5.11.2	Intramolecular [2+2]-photocycloadditions of 4-(2'-aminoethyl)quinolones — <b>79</b>
5.11.3	Intramolecular [2+2]-photocycloadditions of 4-( $\omega$ -alkenyloxy)-quinol-2-ones — <b>81</b>
5.12	Light-induced enantioselective catalysis — <b>82</b>
5.12.1	Photoinduced electron transfer enantioselective catalytic reactions — <b>84</b>
5.12.2	Catalyzed enantioselective [2+2]-photocycloadditions of 4-substituted quinolones — <b>84</b>
5.13	Conclusion — <b>86</b>
5.14	References — <b>86</b>
<b>6</b>	<b>Photocatalysis with nucleic acids and peptides — 91</b>
6.1	Introduction — <b>91</b>
6.2	DNA-assisted enantioselective reactions — <b>91</b>
6.2.1	Photocatalytically active DNA (PhotoDNAzymes) — <b>93</b>
6.2.2	Benzophenone as photosensitizer in DNA for the development of PhotoDNAzymes — <b>94</b>
6.3	Small peptides as organocatalysts — <b>98</b>
6.3.1	Development of peptides for photocatalytic addition to olefins — <b>101</b>
6.4	Conclusion — <b>107</b>
6.5	References — <b>107</b>
<b>7</b>	<b>Visible light photoredox catalysis with [Ru(bpy)<sub>3</sub>]<sup>2+</sup>: General principles and the twentieth century roots — 111</b>
7.1	Introduction — <b>111</b>
7.2	[Ru(bpy) <sub>3</sub> ] <sup>2+</sup> and its photoredox properties — <b>111</b>
7.3	Application of [Ru(bpy) <sub>3</sub> ] <sup>2+</sup> as catalyst in the twentieth century — <b>113</b>
7.4	Conclusion — <b>129</b>
7.5	Abbreviations — <b>131</b>
7.6	References — <b>131</b>

- 8 Homogeneous visible light-mediated transition metal photoredox catalysis other than ruthenium and iridium — 139**
- 8.1 Introduction — 139
  - 8.2 Copper in visible light catalysis — 139
  - 8.3 Rhenium and platinum in visible light catalysis — 143
  - 8.4 Iron in visible light catalysis — 145
  - 8.4.1 Photocatalytic oxidation of hydrocarbons — 145
  - 8.4.2 Photocatalytic oxidative decarboxylation — 145
  - 8.4.3 Oxidative degradation — 146
  - 8.4.4 Isomerization — 148
  - 8.5 Conclusion — 149
  - 8.6 References — 149
- 9 Synergistic Visible Light Photoredox Catalysis — 151**
- 9.1 Introduction — 151
  - 9.2 Stabilized iminium ions — 153
  - 9.2.1 Secondary amine-catalyzed Mannich reactions — 154
  - 9.2.2 Coinage metal-catalyzed alkynylation reactions — 156
  - 9.2.3 NHC-catalyzed acylations — 158
  - 9.3 Electrophilic carbon-centered radicals — 159
  - 9.3.1 Secondary amine-catalyzed  $\alpha$ -alkylation of aldehydes — 159
  - 9.3.2 Palladium-catalyzed C-H arylation — 163
  - 9.3.3 Copper-catalyzed trifluoromethylation of aryl boronic acids — 165
  - 9.4 Conclusion — 167
  - 9.5 References — 167
- 10 Photoredox catalyzed  $\alpha$ -functionalization of amines – Visible light mediated carbon-carbon and carbon-hetero bond forming reactions — 169**
- 10.1 Introduction — 169
  - 10.2 Aza-Henry Reaction — 173
  - 10.3 Addition of malonates — 176
  - 10.4 Mannich reaction — 177
  - 10.5 Allylation — 178
  - 10.6 Cyanation of tertiary amines — 178
  - 10.7 Alkynylation — 179
  - 10.8 [3+2] cycloaddition reaction — 180
  - 10.9 Acylation — 180
  - 10.10 C-heteroatom (C–P, C–O, C–N) bond formation — 180
  - 10.11 Conclusion — 182
  - 10.12 References — 183

**11 Metal complexes for photohydrogenation and hydrogen evolution — 185**

- 11.1 Analysis of construction components of artificial photocatalytic systems — **187**
  - 11.1.1 Chromophore — **187**
  - 11.1.2 Electron relay — **188**
  - 11.1.3 Redox equivalents — **188**
  - 11.1.4 Reduction catalysts — **188**
  - 11.1.5 Intramolecular hydrogen evolving photocatalysts — **189**
  - 11.1.6 Oxidation catalysts — **190**
  - 11.1.7 Intramolecular oxidation catalysts — **191**
  - 11.1.8 Comparison of inter- and intramolecular photocatalysis — **192**
- 11.2 Intramolecular photocatalysts for hydrogen production and hydrogenation — **193**
  - 11.2.1 Hydrogen production — **194**
  - 11.2.2 Photohydrogenation — **196**
  - 11.2.3 Photophysics — **197**
  - 11.2.4 Ru(tpphz)Pd-type catalysts as photochemical molecular devices (PMD) — **202**
- 11.3 Conclusion — **204**
- 11.4 References — **205**

**12 Heterogeneous semiconductor photocatalysis — 211**

- 12.1 Inorganic semiconductors — **211**
  - 12.1.1 General features of a photocatalyst — **211**
    - 12.1.1.1 Band structure and band gap — **211**
    - 12.1.1.2 The Fermi level and charge separation — **214**
  - 12.1.2 How to tune a photocatalyst — **217**
    - 12.1.2.1 Doping and Co-Catalysts — **217**
    - 12.1.2.2 Particle size effect — **220**
  - 12.1.3 Selected examples of photocatalysts and their application to organic synthesis — **221**
    - 12.1.3.1 TiO<sub>2</sub> – an UV active photocatalyst — **221**
    - 12.1.3.2 Selected examples of visible light active photocatalysts — **223**
- 12.2 Organic semiconductors — **230**
  - 12.2.1 Basic properties of organic semiconductors — **231**
    - 12.2.1.1 Band structure and band gap — **231**
    - 12.2.1.2 Photoinduced electron transfer – Exciton generation and dissociation — **231**
  - 12.2.2 Application of conjugated polymers in photocatalysis — **232**
    - 12.2.2.1 Linear conjugated polymers — **232**
    - 12.2.2.2 Conjugated polymers with layered structure — **235**
- 12.3 References — **239**

<b>13</b>	<b>Polyoxometalates in photocatalysis — 247</b>
13.1	Introduction — 247
13.1.1	Polyoxometalates – Molecular metal oxide clusters — 247
13.1.2	Concepts in polyoxometalate photochemistry — 248
13.1.3	The basics of POM photochemistry — 249
13.1.4	Traditional photooxidation of organic substrates — 250
13.2	Recent developments in POM photochemistry — 250
13.2.1	Water oxidation by Ru- and Co-polyoxometalates — 250
13.2.2	Polyoxoniobate water oxidation — 251
13.2.3	Water oxidation by Dawson anions in ionic liquids — 252
13.2.4	Photoreductive CO <sub>2</sub> -activation — 253
13.2.5	Photoreductive H <sub>2</sub> generation — 254
13.3	Optimizing photocatalytic performance of polyoxometalates — 254
13.3.1	Structurally adaptive systems — 254
13.3.2	Optimized photoactivity by metal substitution — 255
13.3.3	Inspiration from the solid-state world — 257
13.4	Conclusion — 258
13.5	Acknowledgments — 258
13.6	References — 258
<b>14</b>	<b>Description of excited states in photocatalysis with theoretical methods — 263</b>
14.1	Introduction — 263
14.2	The concept of potential energy surfaces — 264
14.3	Computational methods for excited states — 268
14.3.1	QM-Methods — 268
14.3.1.1	Time-dependent coupled cluster response — 269
14.3.1.2	Time-dependent density functional theory — 270
14.3.2	Solvent description via the QM/MM approach — 271
14.3.2.1	MM methods — 272
14.3.2.2	QM/MM coupling — 273
14.4	Procedure — 274
14.5	Examples — 276
14.5.1	Roseoflavin — 277
14.5.2	Benzophenone in dinucleotides — 282
14.6	Conclusion — 287
14.7	References — 288
<b>15</b>	<b>Transient Absorption — 295</b>
15.1	Introduction — 295
15.2	Experimental Setup — 298

15.3	Data Analysis —	<b>300</b>
15.3.1	SVD and rank analysis —	<b>301</b>
15.3.2	Global lifetime analysis —	<b>302</b>
15.3.3	Eliminating invalid data —	<b>303</b>
15.3.4	Maximum entropy analysis —	<b>303</b>
15.4	Performance —	<b>307</b>
15.4.1	RFTA alone —	<b>307</b>
15.4.2	Photooxidation of MBA with RFTA —	<b>311</b>
15.5	Discussion —	<b>315</b>
15.6	Conclusion —	<b>316</b>
15.7	Acknowledgments —	<b>317</b>
15.8	References —	<b>317</b>
<b>16</b>	<b>Time resolved spectroscopy in photocatalysis —</b>	<b>319</b>
16.1	UV/Vis absorption spectroscopy: More than just $\epsilon!$ —	<b>319</b>
16.2	Time-Resolved spectroscopic methods from fs to $\mu$ s to elucidate photocatalytic processes —	<b>323</b>
16.2.1	Transient absorption spectroscopy: Signals, time scales, and data processing —	<b>323</b>
16.2.2	Spectroscopy on the fs to ps time scale —	<b>326</b>
16.2.3	Spectroscopy on the ns to $\mu$ s time scale —	<b>330</b>
16.2.4	Rate models and the determination of the species associated spectra of the intermediate states —	<b>336</b>
16.3	Diffusion limited reactions —	<b>346</b>
16.3.1	Diffusion limited excited state quenching with time dependent reaction rate —	<b>346</b>
16.3.2	Application of the diffusion fit function to experimental data —	<b>351</b>
16.4	Costs of photocatalysis: The reaction quantum yield —	<b>357</b>
16.4.1	Requirements for an accurate definition of the quantum yield —	<b>357</b>
16.4.2	Determination of the quantity of excited molecules in transient absorption measurements —	<b>362</b>
16.4.3	Example of the spectroscopic determination of reaction quantum yields: Flavin photocatalysis —	<b>364</b>
16.5	From light absorption to chemistry: Sensitizing mechanisms in homogeneous photocatalysis —	<b>369</b>
16.5.1	Sensitization by excitation energy transfer —	<b>369</b>
16.5.2	Photoredox catalysis: Requirements on catalyst and substrate —	<b>370</b>
16.6	Epilogue —	<b>374</b>
16.7	References —	<b>376</b>
	<b>Index —</b>	<b>379</b>